



Six Monthly Compliance Report for period October 2024 to March 2025 for Residential and Commercial project By M/s Vilas Javdekar Infinite Developers Pvt. Ltd

From Ace Enviroment <info@aceenvironment.in>

Date Tue 03/06/2025 08:00

To ecompliance-mh@gov.in <ecompliance-mh@gov.in>; cc-cacdesk@mpcb.gov.in <cc-cacdesk@mpcb.gov.in>

Cc sropimprichinchwad@mpcb.gov.in <sropimprichinchwad@mpcb.gov.in>

Bcc ketakee.devdhar@javdekars.com <ketakee.devdhar@javdekars.com>

 1 attachment (8 MB)

122 Wakad POEC_Six Monthly Compliance Report_October 2024 to March 2025.pdf;

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for the Period of October 2024 to March 2025 of residential & commercial project at S.No. A I+A2, 122/1, 122/2, 122/5, 122/5/1,122/1/A/3, Village - Wakad, Taluka - Mulshi, Pune, Maharashtra by M/s Vilas Javdekar Infinite Developers Pvt. Ltd. with reference to Environmental Clearance Letter Identification No. EC23B038MH184801 dated 26th September 2023, for which further expansion was obtained with Environmental Clearance Identification No. EC24B039MHI 12392 dated 10th September 2024

Hope this is in line with your requirement.

Thanking you

Yours Sincere,
M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.



Date:

To,

Ministry of Environment and Forest & Climate Change

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building, Civil Line,

Nagpur- 440001

Subject: Post EC Compliance Report for Period of **October 2024 to March 2025** for residential & commercial project at S.No. A1+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village - Wakad, Taluka - Mulshi, Pune, Maharashtra by **M/s Vilas Javdekar Infinitree Developers Pvt. Ltd.**

Ref.: 1. Environmental Clearance Identification No. EC24B039MH112392 dated – 10/09/2024.

2. Environmental Clearance Identification No. EC23B038MH184801 dated – 26/09/2023.

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance Letter Identification No. **EC23B038MH184801 dated – 26/09/2023**, for which we have further obtained expansion on 10.09.2024, Environmental Clearance Application No. **EC24B039MH112392** for our above mentioned residential & commercial project at at S.No. A1+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village - Wakad, Taluka - Mulshi, Pune, Maharashtra by **M/s Vilas Javdekar Infinitree Developers Pvt. Ltd.**

In accordance to your requirement please find enclosed herewith following documents for post EC for the subject project for your kind reference:

1. Compliance report
2. Environment Clearance Letter
3. Monitoring Report
4. Swachh Agreement
5. Budgetary provision for EMP
6. Advertisement Copy
7. Consent to Establish Copy
8. CGWA NoC
9. Form V

Hope you will find the above in line with your requirement.

Thanking you,

Yours Sincerely,



Ketakee

For, **Vilas Javdekar Infinitree Developers Pvt. Ltd.**

Authorized Signatory

CC to:

1. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032
2. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India

Vilas Javdekar Infinitree Developers Pvt. Ltd.

306, Siddharth Towers, Sangam Press Road, Kothrud, Pune 411 038 INDIA

CIN : U70109PN2020PTC195347

+91 20 6764 8000

www.javdekars.com

admin@javdekars.com

SIX MONTHLY COMPLIANCE REPORT

OF

RESIDENTIAL & COMMERCIAL PROJECT

AT

S. NO. A 1+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3,
VILLAGE - WAKAD, TALUKA - MULSHI, PUNE,
MAHARASHTRA

DEVELOPED BY

M/S. VILAS JAVDEKAR INFINITEE
DEVELOPERS PVT. LTD.

FOR

OCTOBER 2024 TO MARCH 2025

TABLE OF CONTENTS

Sections	Particulars
Section 1	Purpose of the Report
Section 2	Project Details
Section 3	Present Site Conditions
Section 4	Post Environment Clearance Compliance Report
Section 5	Monitoring and Analysis

LIST OF ANNEXURES

Annexures	Particulars
Annexure 1	Compliance Report
Annexure 2A	Environment Clearance Letter dated 10.09.2024
Annexure 2B	Environment Clearance Letter dated 26.09.2023
Annexure 3	Monitoring Reports
Annexure 4	SWACH Agreement
Annexure 5	Budgetary provision for EMP
Annexure 6	Advertisement Copy
Annexure 7A & 7B	Copy of Consent to Establish
Annexure 8	CGWA NoC
Annexure 9	Form V

Section1: Purpose of the Report

As per the 'Sub Para (i) of 'Para 10' of EIA Notification 2006 and Sr. No. IV under General EC condition mentioned on page no. 12 in Environmental Clearance (EC) letter Identification No EC24B039MH112392 dated 10th September 2024 (**Annexure 2A**) & Sr. No. IV under General EC condition mentioned on page no. 09 in Environmental Clearance (EC) letter Identification No. EC23B038MH184801 dated 26th September 2023 (**Annexure 2B**), it is mandatory to submit six monthly compliance report to show the status & compliance of all the conditions mentioned in EC letter, along with monitoring of various environmental parameters. Therefore, based on specific and general conditions mentioned in EC letter detail compliance report is prepared.

Section 2: Project Details

M/s. Vilas Javdekar Infinite Developers Pvt. Ltd., is constructing Proposed Residential & commercial project at S. No. A 1+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village - Wakad, Taluka - Mulshi, Pune, Maharashtra. The project is designed as a self-sufficient establishment wherein infrastructure facilities such as water supply, power supply and communication facilities are proposed. Further the project proponent has made provision for waste collection and disposal, rain water harvesting and sewage treatment to ensure that project is environment friendly. The project proponent also proposes arrangement for safety maintenance and security of residents. The main features of the project are as follows.

Sr. No.	Particulars	Details
1	Total Plot Area (As per EC)	43,300.00 Sq.m
2	Net Plot Area	14,265.62 Sq.m
3	Proposed FSI area	89,541.67 Sq.m
4	Proposed non- FSI area	56,892.61 Sq.m
5	Proposed TBUA	1,46,434.28 Sq.m
6	Total Water Requirement	721 m ³ /day
7	Fresh Water Requirement	438 m ³ /day
8	Recycled Water Requirement (For Flushing & Recycled water)	Flushing: 251 m ³ /day Landscape: 32 m ³ /day
9	Sewage Generation	620 KLD
10	Capacity of STP	650 KLD of MBBR Technology
11	Solid Waste Generation	Non-Biodegradable Waste: 1018 kg/day Bio-degradable Waste: 1483 kg/day STP Sludge: 130 kg/day
12s	Energy Demand	During Construction Phase (Demand Load) :160 KW During Operation phase (Connected load): 8739 KW During Operation phase (Demand load): 3772 KW Transformer: 4 Nos. of 1000 KVA + 1 No. x 630

		KVA DG set: 2 Nos. of 630 KVA
--	--	----------------------------------

Section 3: Present Site Conditions

Sr. No.	Name of Buildings	Current Status
1	Building A	Under Construction
2	Wing B1-B2	Under Construction
3	Wing C1-C2	Under Construction
4	Wing D1-D2	Under Construction
5	Club House 1	Under Construction
6	Club House 2	Proposed

Section 4: Post Environment Clearance Compliance Report

Proposal is an expansion construction project. The proposal has been considered by SEIAA in its 278th (Day-1) meeting held on 22nd July 2024 & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Sr. No.	EC Conditions	Compliance Status
Specific Conditions		
SEAC Conditions		
I.	PP to provide additional recharge pit for surface runoff.	Condition is noted and has been complied. Reply to the same was presented in 264 th SEIAA meeting dated 08 th August 2023.
II.	PP to ensure disposal of debris in compliance with the provisions of Construction and Demolition Waste Management Rules, 2016.	Condition is noted. Undertaking for the same was presented in 264 th SEIAA meeting dated 08 th August 2023.
III.	PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.	We shall be providing 30 % of cars with EV charging points.
IV.	PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction	We ensure that, we will not use drinking water for construction phase. We shall use recycled water or tanker non potable water for proposed construction. Undertaking

		for the same was presented in 264 th SEIAA meeting dated 08th August 2023.
SEIAA Conditions		
I	PP has provided mandatory RG area of 1426.56 m ² on mother earth. Local planning authority to ensure the compliance of the same.	Condition is noted and agreed.
II.	PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.	Condition is noted and agreed.
III.	PP to achieve at least 5% of total energy requirement from solar/other renewable sources.	Condition is noted and shall be complied with.
IV.	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt. 04.01.2019	We will comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt. 04.01.2019.
V.	SEIAA after deliberation decided to grant EC for - FSI – 89,541.67 m ² , Non FSI- 56,892.61 m ² , Total BUA- 1,46,434.28 m ² . (Plan approval No-BP/EC/Wakad/08/2023)	Condition is noted & agreed
General Conditions		
A) Construction Phase:		
I.	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	During construction phase, the solid waste is segregated and recyclable material is handed over to authorized vendor. Inert material will be used for site leveling. The same will be adopted in proposed construction.
II.	Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.	All construction waste will be collected and segregated properly at site and most of it will be reused for construction activity.

III.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Used oil generated at site will be disposed through MPCB authorized vendors.
IV.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Drinking water facility and mobile toilets are provided for labors on site.
V.	Arrangement shall be made that waste water and storm water do not get mixed.	Separate drainage and storm water system / network will be provided to ensure wastewater and storm water do not get mixed.
VI.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices	Noted & will be complied
VII.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Condition is noted.
VIII.	Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project	We have obtained permission to withdraw ground water from CGWA. Attached as Annexure 8 .
IX.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Condition is noted and shall be complied with.
X.	The Energy Conservation Building code shall be strictly adhered to.	We will adhere to Energy Conservation Building code.
XI.	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	Yes, we are storing excavated topsoil on site. Same shall be used for horticulture / landscape development within the project site.
XII.	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	Construction debris will be used for base preparation of the road and for site leveling.

XIII.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Soil testing was done, according to reports all the parameters are within limit and Monitoring reports are attached as Annexure 3 . The practice shall be continued throughout the construction phase to ensure that there is no threat to ground water.
XIV.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Condition is noted & agreed.
XV.	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.	We will use low Sulphur diesel type DG (as per availability) during construction phase, and it will conform to Environment (Protection) rules prescribed for Air and Noise emission standards.
XVI.	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.	Construction vehicles will be checked for PUC certificate before entry.
XVII	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Care is taken to maintain the noise level within limits at site. Construction activities are limited to daytime only. Noise shields provided for heavy construction equipment's. PPE is provided to labors.
XVIII.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in	DG set shall be of enclosed type. Stack will be provided as per MPCB norms.

	consultation with Maharashtra Pollution Control Board.	
XIX.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.	Dedicated site engineer and supervisory staff is appointed to take care of the monitoring and overall implementation.
B) Operation phase:-		
I.	a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	We are ready to follow the following practices on site. a) The solid waste generated shall be properly collected and segregated. b) Wet waste will be treated by organic waste converter and compost will be utilized in the existing premises for gardening. c) Dry/inert waste shall dispose of to the approved sites for land filling after recovering recyclable material.
II.	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	An agreement with SWACH is made for disposal of E- waste and copy of same is attached as an Annexure 4 .
III.	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100% treatment to sewage/Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	Sewage Treatment plant will be installed at site for treatment of sewage. The treated sewage will used for flushing & gardening purpose. Discharge of unused treated effluent confirm to the norms of MPCB.
IV.	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing	Yes we will ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings.

	excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.	
V.	The occupancy certificate shall be issued by the local planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	Condition is noted and we will comply the same.
VI.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Condition is noted, all parking will be internalized and no public space shall be utilized.
VII.	PP to provide adequate electric charging points for electric vehicles (EVs).	We are proposing 30% of total Parking on electrical charging facility.
VIII.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agricultural Dept.	We will develop green belt as per Local planning authority as they have set up a garden department to ensure compliance guidelines.
IX.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment Management cell is prepared for implementation of the environmental safeguards.
X.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Separate funds have been allocated for implementation of environmental protection measures/EMP, copy of same is attached as Annexure 5 .
XI.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the	Advertisement was published in Marathi and English Newspaper. The copy of same is attached as Annexure 6 .

	Maharashtra pollution control board and may also be seen at website at http:// parivesh.nic.in	
XII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Condition noted and shall be complied.
XIII.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	DG sets will be provided for power back up. DG set will be provided with silencer and acoustic enclosures. Stack will be provided as per MPCB norms.
C) General EC Conditions:-		
I.	PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.	We will strictly abide by the conditions stipulated by SEAC & SEIAA.
II.	If applicable consent for Establishment shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Consent for Establishment' is obtained from Maharashtra Pollution Control Board, a copy of the same is attached as an Annexure 7B . Consent for Establish (Expansion) obtained from Maharashtra Pollution Control Board, a copy of the same is attached as Annexure 7A
III.	Under the provisions of Environment (protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Condition is noted and agreed. We have obtained Environmental Clearance before starting construction for our Project, copy of EC attached as Annexure 2B . Environmental Clearance

		(Expansion) obtained & Same is attached as Annexure 2A
IV.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal office of CPCB and the SPCB.	We will submit six monthly report along with necessary documents.
V.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned state pollution control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional offices of MoEF by e-mail.	Latest submitted copy of Form V attached as Annexure 9 .
VI.	No further expansion or modifications, other than mentioned in the EIA notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Condition is noted & agreed.
VII.	This environmental clearance is issued subject to obtaining NOC from forestry & wild life angle including clearance does not necessarily implies that forestry & wild life as if applicable & wild life clearance granted to the project which will be considered separately on merit.	Condition is noted & agreed.
4.	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent	Condition is noted & agreed.

	has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	
5	The Environmental Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.	Condition is noted & agreed.
6	In case of submission of false document and non- compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Condition is noted & agreed.
7	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.	Condition is noted & agreed.
8	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act. 1974, the Air (Prevention and Control of Pollution) Act. 1981. The Environment (Protection) Act. 1986 and rules there under. Hazardous Wastes (Management and Handling) Rules. 1989 and its amendments, the public liability Insurance Act, 1991 and its amendments.	Condition is noted & agreed.
9	Any appeal against this environmental clearance shall lie with the National Green Tribunal (western zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite council Hall, Pune, if preferred, within 30 days as prescribed, within 30 days as prescribed under section 16 of the National Green Tribunal, Act, 2010.	Condition is noted.

Section 5: Monitoring and Analysis

Monitoring of Air quality, Water quality, Soil quality, Noise level at construction site. Monitoring was done and samples were collected as per standard norms. All samples were analyzed in NABL accredited laboratory. The details of sampling parameters were given in following table.

Sr. No.	Environmental Components	Monitoring Parameters
1	Air	PM10, PM2.5, SO ₂ , NO ₂ , O ₃ , Pb, CO, NH ₃ , C ₆ H ₆ , Benzo (a) Pyrene – Particulate Phase only, As, Ni
2	Water	Colour, Odour, Turbidity, pH, TDS, Total Alkalinity, Total Hardness, Ca, Mg, Cl ⁻ , SO ₄ , NO ₃ , Fe, Mn, F, Pb, Cu, Zn, Cr ⁶⁺ , As, B, Residual Chlorine, Al, Cd, Se, Hg, Pesticides, Mineral Oil
3	Noise	Leq
4	Soil	pH, Electrical Conductivity, Total Nitrogen as N, Phosphate as P, Potassium as K, Exchangeable Calcium as Ca, Exchangeable Magnesium as Mg, Exchangeable Sodium as Na, Organic Matter, Texture

Monitoring results are attached as **Annexure 3** which indicates that parameters of all environmental components are within standard limit and there is no pollution at site.



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Director

VILAS JAVDEKAR INFINITEE DEVELOPERS PRIVATE LIMITED

306, Siddharth Towers, Sangam Press Road, Kothrud, Pune - 411038 - 411038

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/453762/2023 dated 30 Nov 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC24B039MH112392 |
| 2. File No. | SIA/MH/INFRA2/453762/2023 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including Schedule No. | 8(b) Townships and Area Development projects. |
| 6. Name of Project | Expansion in Environmental Clearance of Residential & Commercial Project at Plot A1+A2, S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village - Wakad, Taluka - Mulshi, Pune, Maharashtra by M/s. Vilas Javdekar Infinitee Developers Pvt. Ltd. |
| 7. Name of Company/Organization | VILAS JAVDEKAR INFINITEE DEVELOPERS PRIVATE LIMITED |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 10/09/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/453762/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.,
Plot A1+A2, S. No. 122/1, 122/2,
122/5, 122/5/1, 122/1/A/3,
Village - Wakad, Taluka - Mulshi, Pune.

Subject : Expansion in Environmental Clearance for Residential & Commercial Project at Plot A1+A2, S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village - Wakad, Taluka - Mulshi, Pune, Maharashtra by M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.

Reference : Application no. SIA/MH/INFRA2/453762/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 188th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 278th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 22nd July, 2024.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/453762/2023	
2	Name of Project	Expansion in EC for Proposed of Residential & Commercial project at Plot A1+A2 out of S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, village - Wakad, Taluka - Mulshi, Pune, by M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	
3	Project category	8 (b), B1	
4	Type of Institution	Private Limited	
5	Project Proponent	Name	M/s Vilas Javdekar Infinite Developers Pvt. Ltd.
		Regd. Office address	306, Siddharth Towers, Sangam Press Road, Kothrud, Pune
		Contact number	9168216622
		e-mail	ec.vilasjavdekarwagholi@gmail.com
6	Consultant	Sneha Hi-Tech Products NABET Accredited Certificate No. NABET/EIA/2124/RA0235 dated 05.04.2022 valid till 15.02.2024	
7	Applied for	Expansion	
8	Details of previous EC	Environment Clearance vide letter No. EC23B038MH184801 dtd 26.09.2023.	

9	Location of the project		Plot A1+A2 out of S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, village - Wakad, Taluka - Mulshi, Pune, Maharashtra			
10	Latitude and Longitude		Latitude: 18°36'22.22"N, Longitude: 73°45'3.33"E			
11	Total Plot Area (m2)		43,300.00			
12	Deductions (m2)		18,323.11			
13	Net Plot area (m2)		24,976.89			
14	Proposed FSI area (m2)		1,99,109.27			
15	Proposed non-FSI area (m2)		1,09,013.42			
16	Proposed TBUA (m2)		3,08,122.69			
17	TBUA (m2) approved by Planning Authority till date		In process			
18	Ground coverage (m2) & %		18,516.00 (74%)			
19	Total Project Cost (Rs.)		Rs. 924.31 Cr.			
20	CER as per MoEF& CC circular dated 01/05/2018		NA, per Memorandum 22-65/2017-IA-III dated 25th February 2021			
21	Details of Building Configuration:					Reason for Modification /Change
	Previous EC / Existing Building			Proposed Configuration		
	Building name	Configuration	Height (m)	Building name	Configuration	Height (m)
	Building A (Residential + Commercial + Inclusive Housing)	B1 + G + 21 floors	70.25	Wing A1- A2	B1+Gr+34 floors	110.00
	Wing B1-B2	B1+G+34 floors	109.80	Wing B1-B2	B1+Gr+34 floors+ 35th /Recreational floor	113.60
	Wing C1-C2	B1+G+34 floors	104.60	Wing C1-C2	B1+Gr+34 floors+ 35th / Recreational floor	109.30
	Wing D1-D2	B1+G+34 floors	101.40	Wing D1-D2	B1+Gr+34 floors	100.80
	-	-	-	Wing E1-E2 (Residential + Inclusive Housing)	B2+B1+Gr+34 floors+ 35th / Recreational floor	109.70
	-	-	-	Wing F1-F2	B2+ B1+Gr+34 floors+ 35th / Recreational floor	109.70
	-	-	-	Wing G1-G2	B2+ B1+Gr+34 floors	110.00
	Club house	On Podium floor	6.00	Club House 1	Gr+1 (on Podium)	6.60 m from podium
	-	-	-	Club House 2	Gr+1 (on Podium)	Newly Proposed
23	Total number of tenements		Residential: 1712 nos. Commercial: 6450 sq.m Users: 9762 nos.			
24	Water	Dry Season (CMD)			Wet Season (CMD)	

	Budget	Fresh Water	792 KLD	Fresh Water	792 KLD
		Recycled (Flushing)	404 KLD	Recycled (Flushing)	404 KLD
		Recycled (Gardening)	14 KLD	Recycled (Gardening)	0
		Total	1210 KLD	Total	1196 KLD
		Waste water generation	1077 KLD	Waste water generation	1077 KLD
25	Water Storage Capacity for Firefighting / UGT (m3)	Domestic tank	1287 cum		
		Fire tank	800cum		
26	Source of water	PCMC/treated water			
27	Rainwater Harvesting (RWH)	Level of the Ground water table:	Pre monsoon: 8 to 10m BGL		
			Post monsoon: 6 to 8m BGL		
		Size and no of RWH tank(s) and Quantity:	Nil		
		Quantity and size of recharge pits:	9 nos. 2 m x 2 m x 2.5 m		
		Details of UGT tanks if any:	--		
28	Sew age and Wastewater	Sewage generation in CMD:	1077 KLD		
		STP technology:	MBBR		
		Capacity of STP (CMD):	1150 KLD		
29	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal	
		Dry waste:	30		
		Wet waste:	20		
		Total waste	50	Utilized on site at maximum extent. Rest handed over to local body	
30	Solid Waste Management during Operation Phase	Type	Quantity (kg/d)	Treatment / disposal	
		Dry waste:	1892 kg/day	Handed over to Authorized Agency	
		Wet waste:	2688 kg/day	Treated in OWC	
		Hazardous waste:	Negligible		
		Biomedical waste	Biomedical waste like Mask, Gloves, Face shields etc. (required for Pandemic situation)	Shall be segregated at designated place near OWC and shall be given to authorized vendor for management	
		E-Waste	28 kg/day	Shall be handed over to Authorized recycler for further handling & disposal purpose	

		STP Sludge	230 kg/day	Used as manure forgardening	
31	Green Belt Development	Total RG area (m2):		1426.56 sq.m.	
		Existing trees on plot:		354	
		Number of trees to be planted:		1318	
		Number of trees to be cut:		245	
		Number of trees to be transplanted:		22	
32	Power requirement:	Source of power supply:		MSEDCL	
		During Construction Phase (Demand Load):		75 kVA	
		During Operation phase (Connected load):		18759 kW	
		During Operation phase (Demand load):		7599 kW	
		Transformer:		9 X 1000 kVA	
		DG set:		2X 630 kVA+ 2X 200kVA + 1X 500 kVA	
		Fuel used:		HSD	
33	Det ails of Energy saving	Total energy savings: 20.10 %			
34	Environmental Management plan budget during Constructionphase	Type	Details	Cost	
		Capital	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets & Debris Management	10.00	
		O&M	Water for Dust Suppression	0.14	
			Site Sanitation, Disinfection & Safety	3.5	
			Environmental Monitoring	2	
			Health Check up	0.6	
			Environment Management Cell	7.8	
			Total	14.04	
35	Environmental Managementplan Budget during Operationphase	Component	Details	Capital (Rs.)	O&M (Rs./Y)
		Sewage treatment	STP Operation and its maintenance	372.13	67.59
		RWH & Storm water	Recharging existing ground water table, SWD - Connection to external line	28.80	0.86
		Solid Waste	Collection Segregation and management of MSW	59.50	11.32

		Hazardous waste	NA	NA	NA
		E-waste	Collection Segregation and hand over to authorized vendors	Included in Solid waste	
		Green belt development	Plantation of new trees and maintenance of existing trees	68.00	6.8
		Energy saving	Energy saving measures	309.00	9.27
		Basement Ventilation	--	161.00	16.10
		Basement Pumping	--	6.00	0.60
		DG Set	--	185.00	18.5
		Environmental Monitoring	To monitor sustainability of Environmental Infrastructure	-	4.0
		Environment Management Cell	--	-	8.40
		Disaster Management	Emergency preparedness plan to develop and implement on site	73.00	10.00
		Biomedical Waste Management	Handling segregation and management of waste like mask, shields, PPE kits etc.	--	1.2
		Total	--	1262.43	154.64
36	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
		4-Wheeler	1376	1376	30 - 32
		2-Wheeler	1896	1896	-
37	Details of Court cases/litigations w.r.t. the project and project location if any.	No			

The comparative statement for the project is as below:

Sr.	Description	Details as per EC received dated 26.09.2023	Proposed amendment	Remarks For proposed changes

1	Total Plot Area	43,300.00 sq.m.	43,300.00 sq.m.	No change
2	Deductions	29,034.38 sq.m.	18,323.11 sq.m.	Decreased by 10,711.27m2
3	Net Plot Area	14,265.62 sq.m.	24,976.89 sq.m.	Increased by 10,711.27m2
4	Proposed FSI	89,541.67 sq.m.	1,99,109.27 sq.m.	Increase in FSI by 1,09,567.6 m2
5	Non FSI Area	56,892.61 sq.m.	1,09,013.42 sq.m.	Increase in Non FSI by 52,120.81 m2
6	Total Construction Area	1,46,434.28 sq.m.	3,08,122.69 sq.m.	Increased by 1,61,688.41m2
7	Building Configuration	Total No. of Buildings: 4 nos. Residential bldg. & 1 club house	Total No. of Buildings: 7 nos. Residential bldg. & 2 club houses	
		Building A (Residential + Commercial + Inclusive): B1 + G + 21 floors	Wing A1-A2: B1+Gr+34 floors	Change in footprint & increase in 13 floors
		Wing B1-B2: B1+G+34 floors	Wing B1-B2: B1+Gr+34 floors+35th /Recreational floor	Increase in a floor
		Wing C1-C2: B1+G+34 floors	Wing C1-C2: B1+Gr+34 floors+35th / Recreational floor	Increase in a floor
		Wing D1-D2: B1+G+34 floors	Wing D1-D2: B1+Gr+34 floors	Change in height
			Wing E1-E2 (Residential + Inclusive Housing): B2+B1+Gr+34 floors+	Newly Proposed
			35th / Recreational floor	
			Wing F1-F2: B2+ B1+Gr+34 floors+ 35th / Recreational floor	Newly Proposed
		-	Wing G1-G2: B2+ B1+Gr+34 floors	Newly Proposed
		Club house - On Podium floor	Club house 1: Gr+1 (on Podium)	Minor change
			Club house 2 Gr+1: (on Podium)	Newly Proposed

8	No. of tenements & shops	Residential: 809 nos. Commercial: 1796.16 sq.m	Residential: 1712 nos. Commercial: 6450 sq.m	Increased in 903 nos. of residential flats. Increase in commercial area by 4653.84 sq.m
9	No. of expected users	5565 nos.	Residential: 8,560 nos. Commercial+ Clubhouse: 1202 nos. Total population: 9762 nos.	Increased by 4197 nos.
10	Water requirement	Domestic water: 438 KLD Flushing water: 251 KLD	Domestic water: 792 KLD Flushing water: 404 KLD	Increased
11	Sewage Generation	620 KLD	1077 KLD	Increased by 457 KLD
12	STP capacity	650 KLD	1150 KLD	Increased by 500 KLD
13	Dry Waste	1018 kg/day	1892 kg/day	Increased by 874 kg/day
14	Wet Waste	1483 kg/day	2688 kg/day	Increased by 1205 kg/day
15	Parking	4-wheelers: 586 nos. 2-wheelers: 930 nos.	4-wheeler- 1376 nos. 2-wheeler (Scooters)- 1896 nos.	Increased as per requirement
16	DG set provision	2 X 630 kVA	2X 630 kVA+ 2X 200 kVA + 1X 500 kVA	Increased as per requirement
17	Total Connected Load	8739 kW	18759 kW	Increased as per requirement
18	Total Demand Load	3772 kW	7599 kW	Increased as per requirement
19	Transformer	4 X 1000 kVA, 1 X 630 kVA	9 X 1000 kVA	Increased as per requirement
20	RG Area on Ground	1426.56 sq.m	1426.56 sq.m.	No change
21	No. of trees after development	486 nos.	1318 nos.	Increased by 832 nos.
22	Project Cost	Rs. 476.50 Cr	Rs. 924.31 Cr	Increased by 447.81 Cr.

3. Proposal is an expansion of existing construction project. Project had received earlier Environment Clearance vide . EC23B038MH184801 dtd 26.09.2023 for plot area 43,300.00 sq.m. and total built up area 1,46,434.28 Sq.m. (FSI Area: 89,541.67 sq.m & Non FSI 56,892.61 sq.m). Proposal has been considered by SEIAA in its 278th (Day-1) meeting held on 22nd July, 2024 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit copy of IoD.
2. PP to submit Certified Compliance Report (CCR), from Regional Office, MoEFCC, Nagpur.

3. PP to submit details of C&D waste disposal and concurrence / NoC received from PCMC.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1426.56 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI-199109.27 m², Non FSI-109013.42 m², total BUA-308122.69m². (Plan approval No-B.P./Environment/Wakad /04/2024 dtd 22.04.2024, dated-)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.

- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent

possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.

- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution

Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.

- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.


9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pimpri Chinchwad Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.



Signature Not Verified

Digitally signed by: Shri Pravin C.
Darade, I.A.S.
Designation: Member Secretary
Date and Time: 9/10/2024 11:57:47 AM

ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Director

VILAS JAVDEKAR INFINITEE DEVELOPERS PRIVATE LIMITED

306, Siddharth Towers, Sangam Press Road, Kothrud, Pune - 411038 -
411038

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/417309/2023 dated 07 Feb 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|--|
| 1. EC Identification No. | EC23B038MH184801 |
| 2. File No. | SIA/MH/INFRA2/417309/2023 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Residential & Commercial Project By M/s.
Vilas Javdekar Infinitee Developers Pvt.
Ltd. |
| 7. Name of Company/Organization | VILAS JAVDEKAR INFINITEE
DEVELOPERS PRIVATE LIMITED |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 26/09/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/417309/2023
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s Vilas Javdekar Infinite Developers Pvt. Ltd.,
S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3,
village Wakad, Taluka- Mulshi, District- Pune

Subject : Environmental Clearance for Proposed Residential & Commercial project at
S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, village Wakad, Taluka- Mulshi,
District- Pune, Maharashtra by M/s Vilas Javdekar Infinite Developers Pvt.
Ltd.

Reference : Application no. SIA/MH/INFRA2/417309/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 173rd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 264th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 08th August, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/417309/2023	
2	Name of Project	Proposed Residential & Commercial project at S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, village Wakad, Taluka- Mulshi, District- Pune, Maharashtra by M/s Vilas Javdekar Infinite Developers Pvt. Ltd.	
3	Project category	8 (a), B2	
4	Type of Institution	Private Limited	
5	Project Proponent	Name	M/s Vilas Javdekar Infinite Developers Pvt. Ltd.
		Regd. Office address	306, Siddharth Towers, Sangam Press Road, Kothrud, Pune
		Contact	9168216622
		e-mail	ec.vilasjavdekarwagholi@gmail.com
6	Consultant	Sneha Hi-Tech Products, NABET Accredited Certificate No. NABET/EIA/2124/RA0235 dated 05.04.2022 valid till 15.02.2024	
7	Applied for	New	
8	Details of previous EC	NA, it is a fresh project	
9	Location of the project	S.No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, village- Wakad, Taluka- Mulshi, District- Pune.	
10	Latitude and Longitude	Latitude: 18°36'22.97"N, Longitude: 73°45'3.38"E	
11	Total Plot Area (m2)	43,300.00	
12	Deductions (m2)	29,034.38	
13	Net Plot area (m2)	14,265.62	
14	Proposed FSI area (m2)	89,541.67	
15	Proposed non-FSI area (m2)	56,892.61	
16	Proposed TBUA (m2)	1,46,434.28	

17	TBUA (m2) approved	In process				
18	Ground coverage (m2) & %	7,576.30 (53%)				
19	Total Project Cost (Rs.)	Rs.476.50 Cr.				
20	CER as per MoEF& CC circular dated 01/05/2018	NA, per Memorandum 22-65/2017-IA-III dated 25th February 2021				
21	Details of Building Configuration:					Reason for Change
	Previous EC / Existing Building			Proposed Configuration		
	Building name	Configuration	Height (m)	Building name	Configuration	Height (m)
	-	-	-	Building A (Residential+ commercial+ Inclusive housing)	B1 + G + 21 floors	70.25
	-	-	-	Wing B1-B2	B1 + G + 34 floors	109.80
	--	-	-	Wing C1-C2	B1 + G + 34 floors	104.60
	-	-	-	Wing D1-D2	B1 + G + 34 floors	101.40
	-	-	-	Club House	On Podium level	6.00
23	Total number of tenements			No. of Residential Tenements: 809 Nos. Commercial Area: 1796.16 sq.m. Users: 5565 Nos.		
24	Water Budget			Dry Season (CMD)		Wet Season (CMD)
				Fresh Water	438 KLD	Fresh Water 438 KLD
				Recycled (Flushing)	251 KLD	Recycled (Flushing) 251 KLD
				Recycled (Gardening)	32 KLD	Recycled (Gardening) 0
				Swimming Pool	1 KLD	Swimming Pool 1 KLD
				Total	721 KLD	Total 689KLD
				Waste water generation	620 KLD	Waste water generation 620 KLD
25	Water Storage Capacity for Firefighting / UGT (m3)			Domestic tank		551 cum
				Fire tank		600 cum
				Drinking water tank		111 cum
26	Source of water			PCMC/treated water		
27	Rainwater Harvesting (RWH)			Level of the Ground water table:	6 – 8 m BGL in post monsoon 8 – 10 m BGL in pre monsoon	
				Size and no of RWH tank(s) and Quantity:	Nil	

		Quantity and size of recharge pits:	5 nos. 2 m x 2 m x 2.5 m	
		Details of UGT tanks if any:	--	
28	Sew age and Wastewater	Sewage generation in CMD:	620 KLD	
		STP technology:	MBBR	
		Capacity of STP (CMD):	650 KLD	
29	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal
		Dry waste:	8.75	
		Wet waste:	3.75	
		Total waste	12.5	Utilized on site at maximum extent. Rest handed over to local body
30	Solid Waste Management during Operation Phase	Type	Quantity (kg/d)	Treatment / disposal
		Dry waste:	1018 kg/day	Handed over to Authorized Agency
		Wet waste:	1483 kg/day	Treated in OWC
		Hazardous waste:	Negligible	
		Biomedical waste	Biomedical waste like Mask, Gloves, Face shields etc. (required for Pandemic situation)	Shall be segregated at designated place near OWC and shall be given to authorized vendor for management
		E-Waste	2.9 kg/day	Shall be handed over to Authorized recycler for further handling & disposal purpose
		STP Sludge	130 kg/day	Used as manure for gardening
31	Green Belt Development	Total RG area (m2):	1426.56 sq.m.	
		Existing trees on plot:	154	
		Number of trees to be planted:	486	
		Number of trees to be cut:	73	
		Number of trees to be transplanted:	0	
32	Power requirement:	Source of power supply:	MSEDCL	
		During Construction Phase (Demand Load):	160 kVA	
		During Operation phase (Connected load):	8739 kW	
		During Operation phase (Demand load):	3772 kW	
		Transformer:	4 X 1000 kVA, 1 X 630 kVA	
		DG set:	2 x 630 kVA	
		Fuel used:	HSD	

33	Details of Energy saving		Total energy savings: 23%		
34	Environmental Management plan budget during Construction phase	Type	Details		Cost
		Capital	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets & Debris Management		0.78
		O&M	Water for Dust Suppression		0.14
			Site Sanitation, Disinfection & Safety		3.02
			Environmental Monitoring		2.00
			Health Check up		0.72
			Environment Management Cell		8.4
			Total		14.28
35	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs.)	O&M (Rs./Y)
		Sewage treatment	STP Operation and its maintenance	220.1	41.21
		RWH & Storm water	Recharging existing ground water table, SWD - Connection to external line	18.10	0.55
		Solid Waste	Collection Segregation and management of MSW	32	4.8
		E-waste	Collection Segregation and hand over to authorized vendors	Included in Solid waste	
		Green belt development	Plantation of new trees and maintenance of existing trees	24.30	2.50
		Energy saving	Energy saving measures	112.5	5.6
		Basement Ventilation	--	220.7	11
		Basement Pumping	--	32	1.6
		DG Set	--	135.9	6.8
		Environmental Monitoring	To monitor sustainability of Environmental Infrastructure	-	4.0
		Environment Management Cell	--	-	6.40
		Disaster Management	Emergency preparedness plan to develop and implement on site	101.45	25
	Total	--	897.05	109.46	

36	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
		4-Wheeler	579	586	30 - 35
		2-Wheeler	930	930	-
37	Details of Court cases/litigations w.r.t. the project and project location if any.	No			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 264th (Day-1) meeting held on 08th August, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to provide additional recharge pit for surface runoff.
2. PP to ensure disposal of debris in compliance with the provisions of Construction and Demolition Waste Management Rules, 2016.
3. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
4. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1426.56 m2 on mother earth. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI-89,541.67 m2, Non FSI-56,892.61 m2, total BUA-1,46,434.28 m2. (Plan approval No-BP/EC/Wakad/08/2023, dated-09.06.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as

per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.

- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SELAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any,

were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without


prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pimpri Chinchwad Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

Signature Not Verified

Digitally signed by Shri Pravin C.
Darade , I.A.S.
Member Secretary

Date: 9/26/2023 11:28:23 AM

Report No:- GCI/V/Lab/EM-SP/24-25/Jan-00/0603

Date: 11/12/2024

ANALYSIS REPORT

Client details		Sample Details	
Name	Residential & Commercial Project By M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	Sample Code	GCI/25/F6/AA1
Address	S.No. A I+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village -Wakad, Taluka - Mulshi, Pune, Maharashtra	Location	NEAR SECURITY GATE
		Date of Sampling	06/12/2024
Sampling Done By	Mr .Kartik	Date of Sample Received	07/12/2024
Analysis Starts On	07/12/2024	Sampling Instrument	RDS, FPS
Analysis Completion On	11/12/2024	Sampling Method	IS 5182 : Part 5 : 1975

AMBIENT AIR ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1	Particulate Matter (PM ₁₀)	µg/m ³	72.15	100	IS 5182 : Part 23 : 2006
2	Particulate Matter (PM _{2.5})	µg/m ³	49.92	60	NAAQS Guidelines
3	Sulphur dioxide (SO ₂)	µg/m ³	22.72	80	IS 5182 : Part 2 : 2001
4	Oxides of Nitrogen (NO _x)	µg/m ³	28.56	80	IS 5182 : Part 6 : 2006
5	Carbon Monoxide CO	mg/m ³	0.44	2.0	IS 5182 : Part 10 : 1999
6	Ozone as O ₃	µg/m ³	25.85	100	NAAQS Guidelines
7	Lead as Pb	µg/m ³	BDL (<0.1)	1.0	NAAQS Guidelines
8	Nickel as Ni	ng/m ³	BDL (<1)	20	NAAQS Guidelines
9	Arsenic as As	ng/m ³	BDL (<1)	6.0	NAAQS Guidelines
10	Ammonia as NH ₃	µg/m ³	12.58	400	NAAQS Guidelines
11	Benzene , C ₆ H ₆	µg/m ³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12	Benzo (a) Pyrene	ng/m ³	BDL (<0.1)	1.0	Gas Chromatography



Authorized Signatory

Report No:- GCI/V/Lab/EM-SP/24-25/Jan-00/0603
Date: 11/12/2024

ANALYSIS REPORT

Client details		Sample Details	
Name	Residential & Commercial Project By M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	Sample Code	GCI/25/F6/AA2
Address	S.No. A1+A2,122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village -Wakad, Taluka - Mulshi, Pune, Maharashtra	Location	SOUTHWEST CORNER OF SITE
		Date of Sampling	07/12/2024
Sampling Done By	Mr .Kartik	Date of Sample Received	11/12/2024
Analysis Starts On	07/12/2024	Sampling Instrument	RDS, FPS
Analysis Completion On	11/12/2024	Sampling Method	IS 5182 : Part 5 : 1975

AMBIENT AIR ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1	Particulate Matter (PM ₁₀)	µg/m ³	73.85	100	IS 5182 : Part 23 : 2006
2	Particulate Matter (PM _{2.5})	µg/m ³	49.85	60	NAAQS Guidelines
3	Sulphur dioxide (SO ₂)	µg/m ³	22.55	80	IS 5182 : Part 2 : 2001
4	Oxides of Nitrogen (NO _x)	µg/m ³	30.77	80	IS 5182 : Part 6 : 2006
5	Carbon Monoxide CO	mg/m ³	0.51	2.0	IS 5182 : Part 10 : 1999
6	Ozone as O ₃	µg/m ³	27.55	100	NAAQS Guidelines
7	Lead as Pb	µg/m ³	BDL (<0.1)	1.0	NAAQS Guidelines
8	Nickel as Ni	ng/m ³	BDL (<1)	20	NAAQS Guidelines
9	Arsenic as As	ng/m ³	BDL (<1)	6.0	NAAQS Guidelines
10	Ammonia as NH ₃	µg/m ³	15.44	400	NAAQS Guidelines
11	Benzene , C ₆ H ₆	µg/m ³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12	Benzo (a) Pyrene	ng/m ³	BDL (<0.1)	1.0	Gas Chromatography



Authorized Signatory

Report No:- GCI/V/Lab/EM-SP/24-25/Jan-00/0603

Date: 07/01/2025

ANALYSIS REPORT

Client details		Sample Details	
Name	Residential & Commercial Project By M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	Sample Code	GCI/25/F6/AA3
Address	S.No. A1+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village -Wakad, Taluka - Mulshi, Pune, Maharashtra	Location	NORTHEAST CORNER OF SITE
		Date of Sampling	06/12/2024
Sampling Done By	Mr .Kartik	Date of Sample Received	07/12/2024
Analysis Starts On	07/12/2024	Sampling Instrument	RDS, FPS
Analysis Completion On	11/12/2024	Sampling Method	IS 5182 : Part 5 : 1975

AMBIENT AIR ANALYSIS RESULTS

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1.	Particulate Matter (PM ₁₀)	µg/m ³	70.95	100	IS 5182 : Part 23 : 2006
2.	Particulate Matter (PM _{2.5})	µg/m ³	41.65	60	NAAQS Guidelines
3.	Sulphur dioxide (SO ₂)	µg/m ³	15.25	80	IS 5182 : Part 2 : 2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	29.44	80	IS 5182 : Part 6 : 2006
5.	Carbon Monoxide CO	mg/m ³	0.49	2.0	IS 5182 : Part 10 : 1999
6.	Ozone as O ₃	µg/m ³	24.65	100	NAAQS Guidelines
7.	Lead as Pb	µg/m ³	BDL (<0.1)	1.0	NAAQS Guidelines
8.	Nickel as Ni	ng/m ³	BDL (<1)	20	NAAQS Guidelines
9.	Arsenic as As	ng/m ³	BDL (<1)	6.0	NAAQS Guidelines
10.	Ammonia as NH ₃	µg/m ³	14.24	400	NAAQS Guidelines
11.	Benzene , C ₆ H ₆	µg/m ³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12.	Benzo (a) Pyrene	ng/m ³	70.95	1.0	Gas Chromatography



Authorized Signatory

Report No:- GCI/V/Lab/EM-SP/24-25/Jan-00/0603

Date: 07/01/2024

ANALYSIS REPORT

Client Details		Sample Details	
Name	Residential & Commercial Project By M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	Sample Code	GCI/25/F6/N1-M3
Address	S.No. A1+A2, 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village -Wakad, Taluka -Mulshi, Pune, Maharashtra	Location	As per table
		Quantity	NA
		Date of Measurement	22/05/2024
		Sampling Instrument	Sound Level Meter (HTC/SL-1352)
Measurement Done By	Mr .Kartik	Sampling Method	HTC/SL-1352 Inst. Manual

NOISE MONITORING RESULTS

Sr. No.	Location Name	Units	Day Time		Night Time	
			Results	MPCB Permissible Limit	Results	MPCB Permissible Limit
1.	Near Security Gate	dB (A)	54.5	55	44.65	45
2.	Southwest Corner of the Site	dB (A)	52.2	55	42.05	45
3.	Northeast Corner of the Site	dB (A)	50.4	55	40.35	45

Limits: Maharashtra pollution Control Board has prescribed 55 dB (A) as an upper limit of noise level during day time and 45 dB (A) during night time for residential area.



Authorized Signatory

Report No:- GCI/V/Lab/EM-SP/24-25/Jan-00/0603

Date:07/01/2024

ANALYSIS REPORT

Client Details		Sample Details	
Name	Residential & Commercial Project By M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	Sample Code	GCI/25/F6/S1
Address	S.No. A1+A2,122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village -Wakad, Taluka - Mulshi, Pune, Maharashtra	Location	SOIL – Project site
		Quantity	2.0 kg
Sampling Done By	Mr .Kartik	Date of Sampling	06/12/2024
Analysis Starts on	07/12/2024		
Analysis Completion On	11/12/2024	Sample Received Date	07/12/2024

SOIL ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Test Procedure
1	pH (1:5 Soil Suspension)	-	6.9	IS 2720 (Part 26):1987
2	Electrical Conductivity (1:5 Soil Suspension)	mS/cm	0.59	EPA Method 9045
3	Total Nitrogen as N	mg/kg	63.89	Kjeldahl Method
4	Phosphate as P	mg/kg	65.71	Olsen Method
5	Potassium as K	mg/kg	23.59	EPA 3050 B
6	Exchangeable Calcium as Ca	meq/100g	20.59	EPA 3050 B
7	Exchangeable Magnesium as Mg	meq/100g	22.82	EPA3050 B
8	Exchangeable Sodium as Na	meq/100g	0.8	EPA3050 B
9	Organic Carbon	%	1.15	
10	Organic Matter	%	2.36	Walkey and Black Method
11	Texture	-	Sandy Clay	Robinson Pipette Method

Authorized Signatory

BDL =Below Detectable Limit

DL =Detectable Limit



Report No:- GCI/V/Lab/EM-SP/24-25/Jan-00/0603

Date: 07/01/2024

ANALYSIS REPORT

Client Details		Sample Details	
Name	Residential & Commercial Project By M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.	Sample Code	GCI/25/F6/DW1
Address	S.No. A1+A2,122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village -Wakad, Taluka - Mulshi, Pune, Maharashtra	Location	Municipal Water at Project Site
		Quantity	2000 ml
Sampling Done By	Mr .Kartik	Date of Sampling	06/12/2024
Analysis Starts on	07/12/2024	Sampling Method	APHA 1060
Analysis Completion On	11/12/2024	Sample Received Date	07/12/2024

DRINKING WATER ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Permissible Limit as per IS 10500-2012	Reference Method
1	Colour	Hazen	Nil	5	APHA 22nd EDITION
2	Odour	-	No Odour	Unobjectionable	APHA 22nd EDITION
3	Taste	-	Agreeable	Agreeable	APHA 22nd EDITION
4	Turbidity	NTU	BDL(<0.5)	1	IS : 3025 Part 10-1984 (Reaff: 2002)
5	pH at 25 °C	-	6.8	6.5-8.5	IS : 3025 Part 11- 1983 (Reaff:2002)
6	Total Dissolved Solids	mg/l	292.70	500	IS : 3025 Part 16-1984 (Reaff:2003)
7	Total Alkalinity as CaCO ₃	mg/l	164.12	200	IS : 3025 Part 23- 986(Reaff:2003)
8	Total Hardness as CaCO ₃	mg/l	236.12	200	IS : 3025 Part 21-2009
9	Calcium as Ca	mg/l	39.56	75	IS : 3025 Part 40-1991 (Reaff:2003)
10	Magnesium as Mg	mg/l	33.35	30	APHA 22nd EDITION-3500 Mg-B
11	Chloride as Cl ⁻	mg/l	36.03	250	IS : 3025 Part 32-1988 (Reaff:2003)
12	Sulphate as SO ₄	mg/l	37.41	200	APHA 22nd EDN-4500- SO ₄ ²⁻ E
13	Nitrate as NO ₃	mg/l	41.65	45	APHA 22nd EDN -4500- NO ₃ ⁻ B
14	Iron as Fe	mg/l	0.29	0.30	IS : 3025 Part 53-2003
15	Manganese as Mn	mg/l	BDL (<0.02)	0.10	APHA 22nd EDN -3500-Mn D
16	Fluoride as F	mg/l	0.78	1.00	APHA 22nd EDN -4500-F B&D
17	Lead as Pb	mg/l	BDL (<0.03)	0.05	IS:3025 Part 47 (Reaff:2003)
18	Copper as Cu	mg/l	BDL (<0.03)	0.05	IS:3025 Part 42 (Reaff:2003)
19	Zinc as Zn	mg/l	0.96	5.00	IS:3025 Part:49 (Reaff:2003)
20	Hexavalent Chromium as Cr ⁶⁺	mg/l	BDL (<0.03)	0.05	IS:3025 Part:37 (Reaff:2003)
21	Residual Free Chlorine as Cl ₂	mg/l	BDL (<0.10)	0.20	APHA 22nd EDN -4500-Cl B
22	Cadium as Cd	mg/l	BDL (<0.03)	0.003	IS:3025 Part 48(Reaff:2003)
23	Sodium as NA	mg/l	3.22	NS	IS:3025 Part 2: 2019
24	Potassium as K	mg/l	0.98	NS	IS:3025 Part 2: 2019
25	Aluminium	mg/l	BDL (<0.03)	0.03	IS:3025 Part:55 (Reaff:2003)

BDL =Below Detectable Limit

Authorized Signatory





AGREEMENT



This Agreement ("Agreement") is entered into as on 14/03/2023

Between

M/s. Vilas Javdekar Infinitive Developers Pvt. Ltd., through its authorized signatory Mr. Sarvesh Vilas Javdekar, a registered Firm having its registered office at 306, Siddharth Towers, Sangam Press Road, Kothrud, Pune 411038, (herein after referred to as the "Developer") **Party No.1**

AND

SWaCH Pune Seva Sahakari Sanstha Maryadit, an autonomous fully owned cooperative of waste pickers in Pune which has its administrative office at 3rd Floor, Old Tilak Road Ward Office, Above SBI (Tilak Road Branch), Pune 411042 (herein after referred to as the "Party No. 2"), **Party No.2**

WHEREAS, the Developer/Party No.1 is developing/has developed a project under name and style of "Residential & Commercial project" situated at Proposed residential and commercial project at S.No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village Wakad, Taluka Haveli, Pune (herein after referred to as the "said Site").


AND WHEREAS, the Developer requires professional services of a suitable agency to collect, recycle, and/or dispose of all the non-bio-degradable wastes, ("the said Wastes") resulting from the said Site on timely basis;

AND WHEREAS, Party No. 2 has assured the Developer that it can ensure the provision of such services through waste-picker members of the cooperative in accordance with local, state and central regulations;

AND WHEREAS relying on the assurances and representations made by Party No. 2, the Developer has requested the Party No. 2 to facilitate the collection, treating, disposing etc. of the dry and non-recyclable waste through its members for a period of 12 months from the date of execution hereof, which is accepted by the Party No. 2 subject to the terms and conditions mentioned hereinafter.

NOW THIS AGREEMENT WITNESSETH HEREAFTER

1. The Party No. 2 hereby agrees to ensure the collection through waste-pickers of non-bio-degradable waste (Quantity 1018 Kg/Day, E waste – 1059 Kg/Year) resulting from the said Site, for a period of 12 (twelve) months from the date of execution hereof, for such user-fees which shall be mutually agreed upon at time of commencement of service with waste-pickers. We ensure collection of E-waste from the site at a cost mutually decided.
2. This agreement may be renewed for a subsequent term of 12 months or more by mutual consent in writing based on such consideration as may be agreed at the time of renewal. The parties may amend this agreement in writing.
3. In consideration of receiving services of waste-collection and waste-management, the Developer agrees to pay such user fees to waste-pickers as maybe finalized with them at time of commencement of services directly or through such facilitation mechanisms as may be mutually agreed. The Developer shall ensure the timely payment of user fees to waste-pickers and /or shall ensure that the person/ entity in charge of administration of the site shall make such timely payments in case of transfer of administration / ownership to a CHS, Apartment Condominium etc. The Developer may be substituted as party to this Agreement by such person/entity on mutual consent in writing upon transfer of rights / administration of the Site.
4. Notices: Any notice required or permitted to be given under this Agreement shall be in writing, shall be deemed duly given if delivered in person or if sent by registered Post, return receipt requested, on the address stated hereinabove.
5. It is agreed by and between the Parties that either party shall be entitled to terminate this agreement by giving 30 days written notice to the other party. However, the services





- received from waste-pickers, before the cancellation of this contract, shall be settled in monetary terms with them forthwith.
6. All disputes shall be referred to sole arbitration of the chief executive officer or director of the Party No. 2. Arbitration proceedings shall be governed by the Arbitration and Conciliation Act, 1996. Arbitration shall take place in Pune, Maharashtra, India in English.
 7. This agreement is subject to Indian Laws and any dispute arising out of the same shall be referred to the courts of appropriate jurisdiction within the city limits of Pune (Maharashtra, India) only.


IN WITNESS WHEREOF, the parties have signed this Agreement on the day and year first above written.

Mr. Sarvesh Vilas Javdekar

Authorized signatory

M/s. Vilas Javdekar Infinitree Developers Pvt. Ltd.



(Developer)



SWaCH Cooperative,

Through

(Party No. 2)



BEFORE ME

P. K. Parmar

PARMAR P. K.
ADVOCATE & NOTARY
B-301, Overa Enclave,
Bhawani Peth, Pune-411042,
Mob. 9028941296

Budget for Environment Management Plan

M /S. Vilas Javdekar Infinite Developers Pvt. Ltd.

Construction Phase:

Construction phase		
Type	Details	Total Cost (Rs. Lakhs)
Capital Cost (Rs. Lakhs)	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets & Debris Management	0.78
O & M Cost (Rs. Lakhs per annum)	Water for Dust Suppression	0.14
	Site Sanitation , Disinfection & Safety	3.02
	Environmental Monitoring	2.0
	Health Check up	0.72
	Environment Management Cell	8.4
	Total	14.28

Operation Phase:

Operation Phase			
Component	Details	Capital (Rs.)	O&M (Rs./Y)
Sewage treatment	STP Operation and its maintenance	220.1	41.21
RWH & Storm water	Recharging existing ground water table, SWD - Connection to external line	18.10	0.55
Solid Waste	Collection Segregation and management of MSW	32	4.8
Green belt development	Plantation of new trees and maintenance of existing trees	24.30	2.50
Energy saving	Energy saving measures	112.5	5.6
Basement Ventilation	--	220.7	11
Basement Pumping	--	32	1.6
DG Set	--	135.9	6.8
Environmental Monitoring	To monitor sustainability of Environmental Infrastructure	--	4.00
Environment Management Cell	--	-	6.40
Disaster Management	Emergency preparedness plan to develop and implement on site	101.45	25
Total		897.05	109.46

NEWSPAPER ADVERTISEMENT

वृद्धापकाळीने
शनिवारी निधन झाले. त्यांच्या
मागे मुलगा, विवाहित मुलगी, सुन,
जावई, नातवंडे असा परिवार आहे.
राज्य शाहक संघटनेचे अध्यक्ष दिलीप
फडके यांच्या त्या मातुश्री होत.

अखिल भारतीय मराठी नाट्य
परिषदेच्या १००व्या नाट्य संमेलनाच्या
निमित्ताने राज्यात पाच विभागस्तरावर
संमेलने होणार आहेत. याशिवाय १९
जिल्ह्यांत नाट्य जागर होत आहे. याची
मुहूर्तमेढ रोवण्याचा सोहळा शुक्रवारी

सांगलीत विष्णुदास भावे नाट्य मंदिरात
मुनगांटीवार यांच्या हस्ते झाला. या वेळी
शहरात ठिकठिकाणी नाट्यपूजन
करण्यात आले. मुहूर्तमेढ पूजन चिंतले
उद्योगसमूहाचे गिरीश चिंतले आणि
अनघा चिंतले यांच्या हस्ते झाले.
स्वागतगीताने कार्यक्रमाला सुरुवात
झाली. त्यानंतर मान्यवरांच्या हस्ते
नटराज पूजन व दीपप्रज्वलन करण्यात
आले. नांदी सादर करण्यात आली. या

१००वे अखिल भारतीय मराठी नाट्य संमेलन

जाहीर नोंदीस
आम्ही मे. विलास जावडेकर इन्फिनीटी डेव्हलपर्स प्रायव्हेट लिमिटेड
सर्वसाधारण जनतेस कळवू इच्छितो की महाराष्ट्र शासनाच्या पर्यावरण विभागाने
आमच्या सर्व नं. १२२/१, १२२/२, १२२/४, १२२/५/१,
१२२/१/३, पुणे, महाराष्ट्र येथील निवासी आणि व्यावसायिक प्रकल्पाला
दिनांक २६ सप्टेंबर २०२३ रोजी पत्र क्र. EC23B038MH184801. अन्वये
पर्यावरणाच्या दृष्टिकोनातून पर्यावरणीय मान्यता दिली आहे. सदर मान्यतापत्राची
प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाच्या कार्यालयामध्ये तसेच पर्यावरण विभाग,
महाराष्ट्र शासन यांच्या <http://parivesh.nic.in> या संकेतस्थळावर उपलब्ध
आहे.
मे. विलास जावडेकर इन्फिनीटी
डेव्हलपर्स प्रायव्हेट लिमिटेड

जाहीर नोंदीस
आम्ही मे. विलास जावडेकर इन्फिनीटी डेव्हलपर्स प्रायव्हेट लिमिटेड
सर्वसाधारण जनतेस कळवू इच्छितो की महाराष्ट्र शासनाच्या पर्यावरण विभागाने
आमच्या सर्व नं. २७९/१पाट, २७९/२ पाट, मान गांव, तालुका मुळशी,
पुणे, महाराष्ट्र येथील व्यावसायिक प्रकल्पाला दिनांक ०१ नोव्हेंबर २०२३ रोजी
पत्र क्र. EC23B038MH172939. अन्वये पर्यावरणाच्या दृष्टिकोनातून
पर्यावरणीय विस्तारीत मान्यता दिली आहे. सदर मान्यतापत्राची प्रत महाराष्ट्र
प्रदूषण नियंत्रण मंडळाच्या कार्यालयामध्ये तसेच पर्यावरण विभाग, महाराष्ट्र
शासन यांच्या <http://parivesh.nic.in> या संकेतस्थळावर उपलब्ध आहे.
मे. विलास जावडेकर इन्फिनीटी
डेव्हलपर्स प्रायव्हेट लिमिटेड

एसजेवीएन ग्रीन एनर्जी लिमिटेड
SJVN Green Energy Limited
(एसजेवीएन लिमिटेड की पूर्ण स्वामित्व वाली सहयोग कंपनी)
CIN: U40100HP2022GOI09237

ई-निविदा क्र. एसजीएमएल/मीएचएम/कारा/जमीन/२०२३
सर्व बोलोपत्रांना खुलित करण्यास येते की, मुंबरात/राजस्थान राज्यात १००० मेगावॉट क्षमतेचे
सौर कर्जी प्रकल्प उभारण्यासाठी ४००० एकपर्यंत जमीन खरेदी/भाडेपट्टीने २८ वर्षासाठी घेत
देण्याच्या निविदा दरम्यान विद्यमान मुंबरात/राजस्थान राज्याव्यतिरिक्त महाराष्ट्र/कर्नाटक/
गुजरात प्रदेश राज्यांचाही समावेश करण्यात आला आहे.
संपत्तीलासाठी, वेबसाइटला भेट द्या: <https://www.bharat-electronicstender.com>,
www.eprocure.gov.in आणि www.sjvn.nic.in. बोलो सादर करण्याची शेवटची
तारीख २०.०९.२०२३ (१६:०० वा.)
दुरुस्था, काही असल्यास, फक्त वेबसाइटवर जारी केल्या जातील.
डॉजीएम (कारा)
एसजेवीएन ग्रीन एनर्जी लिमिटेड
कॉर्पोरेट मुख्यालय, राकसी सदन, शानन, शिमला (हि.प्र.)
ईमेल: contracts.sjvn@sjvn.nic.in

**SRM E-TENDER
EXTENSION NOTICE**
MSETCL invites online bids (E-Tender) from registered contractor's on
Mahatransco SRM e-Tendering website <http://srmetender.mahatransco.in>
for following works.

Sr. No.	Matter to be Displayed on Website (English)	Start Date & Time of Tender (DD/MM/YYYY HH:MM) (Time with AM/PM)	Last Date & Time of Submission (DD/MM/YYYY HH:MM) (Time with AM/PM)
1.	SITC of Passenger Lift at Admin Building (G+4), MSETCL (MSEB) Kasba Peth, Pune. RFX. No. 7000029419	22.12.2023 (10.00 AM)	29/12/2023, 10:00 AM Extended for 7 days upto 06/01/2024, 10:00:00 Hrs

For further details please visit to <http://mahatransco.in/srm> e-Tender.
Tender Copy per Tender 525/- Contact Person: The Addl. Executive Engineer (C), Tel.No.9890425103.
Sd/-
Executive Engineer (C)
EHV CCM Division, Pune

जा.क्र.वशि-०६/४५२/२०२३
दिनांक :- २९/१२/२०२३
विभागाचे/ कार्यालयाचे नाव - पांचगणी गि. नगरपरिषद, पांचगणी
ई-निविदा सुचना क्र. १४ सन २०२३-
पांचगणी निस्स्थान नगरपरिषदेतील बांधकाम विभाग
वरील ई-निविदा सुचना <https://mahatenders.gov.in>
या शासकीय संकेतस्थळावर प्रसिध्द करणेत आलेली आहे
इच्छुक निविदाकारांनी त्यांच्या बोलो ऑनलाईन पध्दतीने मुद्रा
सादर कराव्यात. सदर कामाच्या कोणत्याही स्पटीकरण
निविदाकारांनी दुरुधनी क्रमांक ०२१६८-२४०२४४ वर संपर्क
ग्यावा.
844-मुळविकरी
पांचगणी निस्स्थान नगरपरिषद, ३

जाहीर नोंदीस
आम्ही मे. विलास जावडेकर इन्फिनीटी डेव्हलपर्स प्रायव्हेट लिमिटेड
सर्वसाधारण जनतेस कळवू इच्छितो की महाराष्ट्र शासनाच्या पर्यावरण विभागाने
आमच्या सर्व नं. १२२पाट, फ्लॉट नं. ब, वाकड गांव, तालुका मुळशी
महाराष्ट्र येथील व्यावसायिक प्रकल्पाला दिनांक ०१ नोव्हेंबर २०२३ रोजी
पत्र क्र. EC23B038MH120932. अन्वये पर्यावरणाच्या दृष्टिकोनातून
मान्यता दिली आहे. सदर मान्यतापत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण
मंडळाच्या कार्यालयामध्ये तसेच पर्यावरण विभाग, महाराष्ट्र शासन
यांच्या <http://parivesh.nic.in> या संकेतस्थळावर उपलब्ध आहे.
मे. विलास जावडेकर
डेव्हलपर्स प्रायव्हेट लिमिटेड

छत्रपती संभाजीनगर महानगरपालिका
कार्यकारी अभियंता (इमारत व विद्युत)
पत्रा : महानगरपालिका, छत्रपती संभाजीनगर कार्यकारी अभियंता (इमारत व विद्युत)
कार्यालय : टाऊन हॉल, छत्रपती संभाजीनगर - ४३१००१, तुळजा नदी (०२३३४५३६-४० फॅक्स क्रमांक ०२६०-२३३११२३ ई-मेल (व्यवसायीक संपर्क) मो. ९
जा.क्र. घनवर्णकारी, अधिष्ठ व वि/४९०/२०२३ दिनांक :- २८/१२/२०२३
ज. क्र. कार्याचे नाव निविदा अंतिम
क्र. छत्रपती संभाजीनगर महानगरपालिका मुख्यालय इमारतीचे
१ डाकस किरीट करणे बाबत, २२/१२/२०२३
(निविदा रक्कम रु. ५३,७८,७३०/-)
टिप :- या ई-निविदा पद्धतीने स्वाक्ष्य प्रस्ताव मागविण्यात येत असलेल्या निविदेचे
माहिती संकेतस्थळ www.mahatenders.gov.in वर उपलब्ध आहे.
सहो-
कार्यकारी अभियंता (इमारत व विद्युत)
महानगरपालिका छत्रपती संभाजीनगर

National Dairy Development Board (NDDB)
PB No. 40, Anand
Tel: 02692-260148/260149/260160, Fax: 02692-260149
Invitation For Expression Of Interest
National Dairy Development Board (NDDB) invites Expression Of Interest
for Upcoming Dung based Biogas projects for:
A - Raw Biogas/Fermentation Technologies, B - Low cost Compost
C - Purification technologies from Raw Biogas to CNG & D - Slur
The detailed Request(s) for Expression of Interest REOI Ref: ND
www.nddb.coop under Tender section from 30/12/2023 to 31/01/2024
Last date of submission of EOI: 31/01/2024.
Issued by: National Dairy Development Board, Anand - 388 001, Gu

minised in order to bring the required uniformity".

yogita.seth@timesgroup.com

Indian Steel Demand Boom to Continue this Fiscal, says Crisil

PTI

Kolkata: The Indian steel sector has enjoyed a multi-year demand surge which will continue in the current FY24 but it is expected to moderate in the coming fiscal, global analytics company Crisil said.

The sector has witnessed a double-digit demand growth rate of 11 to 13 per cent during three consecutive years and is likely to moderate to 3-5% in FY25, Miren Lodha, director of research, Crisil Market Intelligence and Analytics said on Friday.

"We are clearly in a demand supercycle," Lodha told PTI.

The moderation is likely in the long steel segment in FY25 ahead of the general election.

The only other instance of such a demand surge in the last two decades was between 2006 to 2008, he said. Lodha said the infrastructure sector, a key driver of the steel demand, is expected to maintain its momentum fuelled by ongoing government projects.

Shares of most of these companies, except for ACC and Ambuja, have had a strong run in 2023, gaining around 23-51% so far in

a general election year, Nomura said. The improvement in profitability that cement makers have been seeing since earlier this

year, he said.

nikita.p

India, Oz may Ink Full Trade Deal after 2024 LS Polls

Australia is seeking more access in the Indian agri market

Our Bureau

New Delhi: India may sign the comprehensive trade deal with Australia only after the conclusion of the general elections next year as Canberra has sought access in New Delhi's agriculture market, a senior government official said Friday. India's exports to Australia rose 14% in April-November FY23 while imports fell 19% on-year, the government said Friday. The India-Australia Economic Cooperation and Trade Agreement (ECTA) came into effect a year ago, on December 28, 2022.

The two sides signed an interim trade deal last year in December when In-



dia eliminated duties on avocados, certain peas and beans, onions, leeks, asparagus, cherries among others. However, Australia is seeking more access in the Indian agricultural market and is pushing for more access in the wine segment. "The government is reluctant to commit anything involving the agriculture sector. General elections are also around the corner," said an official, adding that several countries are seeking commitments in the agri sector such as the UK and the EU.

There is a surge in the demand for yellow metal.

India's trade deficit shrank 39% in the first 11 months of the fiscal year, from \$8.1 billion to \$5.1 billion in November 2022.

"Our exports to Australia in the preferential trade agreement growth is better than the market share in the 22 sector of Australia are our exports to the official.

However, Australia's exports of wines to India have not seen a major surge in the last 12 months.

KERALA WATER AUTHORITY e-Tender Notice

Tender No : 170/2023-24/KWA/PHCD/1/TVM

KIIFB-Mudakkal Gp - Construction of 6 mld WTP & allied works, 19 LL OHSR, Supply and Laying of CW & RWPM. EMD : Rs. 5,00,000/- Tender fee : Rs. 19,518/- Last Date for submitting Tender : 19-01-2024 03:00:pm. Phone : 04712322303. Website: www.kwa.kerala.gov.in & www.etenders.kerala.gov.in

Sd/-Superintending Engineer,
PH Circle, Thiruvananthapuram

KWA-JB-GL-6-1940-2023-24

PUBLIC NOTICE

We, M/s. VILAS JAVDEKAR INFINITE DEVELOPERS PRIVATE LIMITED hereby bring to the kind notice of general public that Environment Department, Government of Maharashtra has been accorded Amendment in Environmental Clearance for our Residential and Commercial Project located at S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Village Wakad, Taluka Mulashi, District Pune Maharashtra vide letter dated 26th September, 2023 bearing file No. EC23B038MH184801. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Website of the Department of Environment, Government of Maharashtra at <http://parivesh.nic.in>

M/s. VILAS JAVDEKAR INFINITE
DEVELOPERS PRIVATE LIMITED


**MUNICIPAL CORPORATION
CHHATRAPATI SAMBAJINAGAR**
Executive Engineer (Building & Light)

Address : Municipal Corporation Chhatrapati Sambhajinagar, Executive Engineer (Building & Light), Head Office : Town Hall Pin 431001. Tel. No. (0240) 2333536-40 Fax No. (0240) 2331213 E-Tender Call AMC (for Help) : Cell No. 9764999592

No/AMC/Ex.Eng/B&L/490/2023 Date : 28/12/2023

Sr. No	Work Name	Last Date of Tender Submission
1	Providing House keeping service for Head office of Chhatrapati Sambhajinagar Municipal Corporation. (Tender Amt. Rs. 53,78,730/-)	22/01/2024

Note :- 1. For the above stated work is available on website www.mahatenders.gov.in

Sd/-
Executive Engineer (Building & Light)
Municipal Corporation Chhatrapati Sambhajinagar

Government of Jharkhand Directorate of Tourism

MDI Building, 2nd Floor, Dhurwa, Ranchi-4

Ph.-0651-2400493, Fax-0651-2400492, E-mail: dirjharkhandtourism@gmail.com

Ref. No.-Tour/Dir/Yoj/13/2023 - 1278 Dated:-28.12.2023.

Notice Inviting Tender for Supply and Maintenance of Water Adventure Sports Equipment in Jharkhand

The Directorate of Tourism (DoT), Govt. of Jharkhand intends to select an Agency for Supply and Maintenance of Water Adventure Sports Equipment in Jharkhand therefore, invites interested agencies to submit their Bids.

Interested agencies may download the document from 28/12/2023, 1700 Hours onwards from the Department of Tourism website:- www.tourism.jharkhand.gov.in/ and submit their Applications. The Bid Due Date is on 18/01/2024 at 1200 Hours. A Technical Bid opening Conference will held on 18/01/2024 at 1300 Hours at the office of Directorate of Tourism (DoT), Govt. of Jharkhand.

A pre-application conference will held on 03/01/2024 by 12:00 Hours at MDI Building, 2nd floor, HEC Campus, Dhurwa, Ranchi -04, Tel Phone: 0651-2400493, e-mail: dirjharkhandtourism@gmail.com.

All subsequent notifications, changes and amendments will be posted only on the website www.tourism.jharkhand.gov.in. DoT reserves the right to cancel this invitation and/or invite fresh Bid with or without amendments to this invitation, without liability or any obligation for such invitation and without assigning any reason.

Sd/-
Director, Tourism.

PR.NO.314608 Tourism, Art Culture Sports And Youth Affairs (23-24):D

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/CAC-CELL/UAN No.0000213673/CE/2409001805

Date: 28/09/2024

To,
M/s. Vilas Javdekar Infinite Developers
Pvt. Ltd., Plot A1+A2 out of S. No. 122/1,
122/2, 122/5, 122/5/1, 122/1/A/3, Wakad,
Tal Mulshi, Dist Pune



Sub: Consent to Establish for expansion in Residential & Commercial Construction project under Red Category

- Ref:**
1. Consent to Establish vide No Format1.0/CC/UAN No.0000173606/CE/2308001400 dtd 22.08.2023
 2. Environmental Clearance vide NO SIA/MH/INFRA2/417309/2023 dtd 26.09.2023
 3. Minutes of 6th Consent Appraisal Committee meeting held on 03.09.2024

Your application NO. MPCB-CONSENT-0000213673

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Establish is granted for period upto Commissioning of the Project or 22.08.2028 whichever is earlier**
2. **The capital investment of the project is Rs.465.36 for Expansion (Total CI Rs 894.3 Cr) Cr. (As per undertaking submitted by pp).**
3. **The Consent to Establish is valid for expansion in construction project named as M/s. Vilas Javdekar Infinite Developers Pvt. Ltd., Plot A1+A2 out of S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Wakad, Tal Mulshi, Dist Pune on Total Plot Area of 24976.89 SqMtrs for proposed total construction BUA of 308122.69 SqMtrs including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Environmental Clearance dtd 26.09.2023	43300.00	146434.28
2	Consent to Establish dtd 22.08.2023	14265.62	146434.28

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	1077	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1,S-2	DG SETS-2 Nos, 630 KVA each	02	As per Schedule -II
S-3,S-4	DG SETS-2 Nos, 200 KVA each	02	As per Schedule -II
S-5	DG SET-500 kVA	01	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Biodegradable Waste	2688 Kg/Day	OWC with Composing/Biodigester with Composting	As Manure
2	Non Biodegradable Waste	1892 Kg/Day	Segregation	Handed over to local recycler for recycling
3	STP Sludge	230 Kg/Day	Dewatering	As Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	9	Ltr/M	Reprocessing	To Authorized Reprocesser

- This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- PP shall provide STP so as to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.
- The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.
- PP shall install organic waste digester along with composting facility/biodigester (biogas) with composting facility for the treatment of wet garbage.
- The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.

14. The project proponent shall take adequate measures to control dust emission and noise level during construction phase
15. This Consent is issued with overriding effect on earlier Consent to Establish vide No Format1.0/CC/UAN No.0000173606/ CE/2308001400 dtd 22.08.2023
16. PP shall obtain Environmental Clearance from competent authority for the proposed expansion in construction activity. PP shall not take effective steps towards expansion in construction without obtaining Environmental Clearance.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Disnazy

f2e65d85
e09e0c1d
302b27b1
35501066
2c14f93b
f0c8fbb7
66c0bfa1
8c9255f9

Signed by: **Dr. Avinash Dhakne**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2024-09-28 21:52:08 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	930720.00	TXN2406004490	24/06/2024	Online Payment

Balance fees of Rs. __ will be considered at the time of next renewal of consent

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity **1150 CMD for treatment of domestic effluent of 1077 CMD.**
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1210.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening/Other consumption	0

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) **As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-**

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1 ,S-2	DG SETS-2 Nos, 630 KVA each	Acoustic Enclosure	5.50	HSD 125 Ltr/Hr	1	SO2	60 Kg/Day
S-3,S-4	DG SETS-2 Nos, 200 KVA each	Acoustic Enclosure	3.00	HSD 40 Ltr/Hr	1	SO2	19.2 Kg/Day
S-5	DG SET-500 kVA	Acoustic Enclosure	3.00	HSD 100 Ltr/Hr	1	SO2	48 Select

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish(Expansion)	Rs 25 Lkhs	15 Days	Compliance of Consent Conditions	Upto Commissioning of the Project	Upto Commissioning of the Project

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/CC/UAN No.0000173606/CE/2308001400

Date: 22/08/2023

To,
M/s Vilas Javdekar Infinite Developers
Pvt. Ltd., S. No. 122/1, 122/2, 122/5,
122/5/1, 122/1/A/3,
Wakad, Tal Mulshi, Dist Pune



Sub: Consent to Establish for Residential & Commercial construction project under Red Category

Ref: Minutes of 12th Consent Committee Meeting of 2023-24 held on 02.08.2023

Your application NO. MPCB-CONSENT-0000173606

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to establish is granted for period up to Commissioning of the project or 5 Yrs whichever is earlier**
2. **The capital investment of the project is Rs.428.94 Cr. (As per C.A Certificate submitted by industry).**
3. **The Consent to Establish is valid for construction project named as M/s Vilas Javdekar Infinite Developers Pvt. Ltd., S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Wakad, Tal Mulshi, Dist Pune on Total Plot Area of 14265.62 SqMtrs for proposed total construction BUA of 146434.28 SqMtrs including utilities and services**
4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	620	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1, S-2	DG SETs-2 Nos, 630 kVA each	02	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Biodegradable Waste	1483 Kg/Day	Organic waste Converter with composting facility / Biogas digester with composting facility	As Manure
2	Non Biodegradable Waste	1018 Kg/Day	Segregation	To Local Body
3	STP Sludge	130 Kg/Day	Dewatering	As Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	5	Ltr/M	Reprocessing	To Authorized Reprocesser

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. Project Proponent shall install online monitoring system for the parameter pH, SS, BOD and flow at the outlet of STP.
11. Project Proponent shall provide Organic waste digester with composting facility or biodigester with composting facility.
12. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
13. The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
14. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
15. PP shall obtain Environmental Clearance from competent authority for the proposed activity. PP shall not take effective steps towards construction without obtaining Environmental Clearance.

16. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E.
- . This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



Generated by Print2PDF
1318250e
ef3fa9db
3ec116f4
9d6ad8c4
8c146145
e0ad06d4
98f8ec5a
692b26bc

Signed by: **Dr. J. B. Sangewar**
Joint Director (WPC)
For and on behalf of,
Maharashtra Pollution Control Board
jdwater@mpcb.gov.in
2023-08-22 15:58:25 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	857880.00	TXN2306003512	23/06/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity **650 CMD for treatment of domestic effluent of 620 CMD.**
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	721.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) **As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-**

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1,S-2	DG SETs-2 Nos, 630 kVA each	Acoustic Enclosure	5.50	HSD 125 Ltr/Hr	1	SO ₂	60 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to E	Rs 10 Lakhs	15 Days	Compliance of Consent Conditions	upto Commissioning of the Project	upto Commissioning of the Project

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

- 6 Solid Waste – The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.





भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)
NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	M/s.vilas Javadekar Infinite Developers Pvt Ltd (yashwin Urbo Centro)		
Project Address:	Plot No. A1+ A2 Out Of S.no 122/1,122/2,122/5,122/5/1,122/1a/3, Wakad, Tal-Mulshi, Pune		
Town:	Pune	Block:	Pune City
District:	Pune	State:	Maharashtra
Pin Code:			
Communication Address:	306, Vilas Javdekar Developers, Siddharth Towers, Sangam Press Road, Kothrud, Pune, Pune City, Pune, Maharashtra - 411038		
Address of CGWB Regional Office :	Central Ground Water Board Central Region, N.s. Building, Civil Lines, Nagpur, Maharashtra - 440001		

1.	NOC No.:	CGWA/NOC/INF/ORIG/2024/19820					2.	Date of Issuance	30/01/2024				
3.	Application No.:	21-4/10874/MH/INF/2024					4.	Category: (GWRE 2023)	Safe				
5.	Project Status:	New Project					6.	NOC Type:	New				
7.	Valid from:	30/01/2024					8.	Valid up to:	29/01/2029				
9.	Ground Water Abstraction Permitted:												
Fresh Water		Saline Water				Dewatering			Total				
m³/day		m³/year		m³/day		m³/year		m³/day		m³/year			
10.00		3650.00											
10.	Details of ground water abstraction /Dewatering structures												
Total Existing No.:0							Total Proposed No.:1						
		DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*		0	0	0	0	0	0	0	0	1	0	0	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps													
11.	Ground Water Abstraction/Restoration Charges paid (Rs.):							3650.00					
12.	Environment Compensation (if applicable) paid (Rs.):							0.00					

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).
- 31) In the self-compliance report, the PP shall submit details of Drilling Agency/ Agencies, which has/ have constructed BW(s)/ TW(s) along with undertaking to the effect that all necessary measures have been taken as per directions of Hon'ble Supreme Court provided in Annexure-VII of guidelines dated 24.09.2020 in respect of abandoned/ failed BW(s)/ TW(s)/Piezometer(s), if any. The PP is advised to engage registered drilling agency/ agencies. In the event of any mishap/ unfortunate incident due to negligence in taking measures for prevention of accident due to falling in Bore Well, both PP and concerned drilling agency shall jointly be held responsible and penal action as per extant Government rules shall be taken.

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

**पानी बचाये – जीवन बचाये
SAVE WATER - SAVE LIFE**

CENTRAL GROUND WATER AUTHORITY

Department of Water Resources, River Development and Ganga Rejuvenation
Ministry of Jal Shakti, Govt. of India

Receipt

(As per the MoJS guidelines dated 24.09.2020 vide SO No. 3289(E) and amendments dated 29.09.2023 vide SO No. 1509(E))
<https://cgwa-noc.gov.in>

Application No.:	21-4/10874/MH/INF/2024	Date of Issuance:	30/01/2024
Name of Firm:	M/S.VILAS JAVADEKAR INFINITE DEVELOPERS PVT LTD (YASHWIN URBO CENTRO)		
AppType Category:	Residential township		
Application Type:	Infrastructure		
PAN/GSTIN No. of Firm/Individual:	AAHCV6956A / 27AAHCV6956A1Z5		

S N	Description	Amount (Rs.)
1.	Application Processing Fee	10000.00
2.	Ground Water Abstraction charges	
3.	Ground Water Restoration charges	
4.	Environmental Compensation Charges (ECRGW) (Date From to) Days-	
5.	Penalty for non-Compliance of NOC conditions Condition to be mentioned	
6.	Adjustment Charges	
7.	Rebate	
8.	Charges for correction/modification in the existing issued No Objection Certificate	
S.No.	Description	Rate
(i)	Change in User ID	Rs. 5000
(ii)	Change in firm Name	Rs. 5000
(iii)	Extension of No Objection Certificate	Rs. 5000
(iv)	Issuance of duplicate No Objection Certificate	Rs. 5000
(v)	Issuance of corrigendum to No Objection Certificate	Rs. 5000
(vi)	Any other items/correction etc.	
Rs. Rupees Thirteen Thousand Six Hundred Fifty Only		13650.00

This is an system generated invoice, hence, does not require ink signed.

Term and conditions:

- i. All disputes are subject to Delhi Jurisdiction.
- ii. Any complaint in regard to the rates will not be entertained.

Member-Secretary
CGWA, New Delhi

CENTRAL GROUND WATER AUTHORITY



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2024

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000065982

Submitted Date

14-06-2024

PART A

Company Information

Company Name

M/s. Vilas Javdekar Infinite Developers Pvt. Ltd.

Application UAN number

MPCB-CONSENT-0000173606

Address

S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3, Wakad, Tal Mulshi, Dist Pune

Plot no

S. No. 122/1, 122/2, 122/5, 122/5/1, 122/1/A/3

Taluka

Mulshi

Village

Wakad

Capital Investment (In lakhs)

42894

Scale

L.S.I.

City

Pune

Pincode

411057

Person Name

Sarvesh Javdekar

Designation

Technical Director

Telephone Number

9665559238

Fax Number

0

Email

kiran.khamkar@javdekars.com

Region

SRO-Pimpri Chinchwad

Industry Category

Orange

Industry Type

O21 Building and construction project more than 20,000 sq. m built up area

Last Environmental statement submitted online

no

Consent Number

Format1.0/CC/UAN
No.0000173606/CE/2308001400

Consent Issue Date

2023-08-22

Consent Valid Upto

2028-08-22

Establishment Year

2023

Date of last environment statement submitted

Jan 1 1900 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

NA

Consent Quantity

0

Actual Quantity

0

UOM

CMD

By-product Information

By Product Name

NA

Consent Quantity

0

Actual Quantity

0

UOM

CMD

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day		
Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	0.00	0.00
Cooling	0.00	0.00
Domestic	721.00	0.00
All others	0.00	0.00
Total	721.00	0.00

2) Effluent Generation in CMD / MLD			
Particulars	Consent Quantity	Actual Quantity	UOM
Domestic Effluent	620	0	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)			
Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)			
Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

4) Fuel Consumption			
Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	125	0	Ltr/Hr

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)					
[A] Water					
Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
COD	0	0	--	10 mg/l	Within Permissible limit
BOD	0	0	--	50 mg/l	Within Permissible limit
TSS	0	0	--	20 mg/l	Within Permissible limit

[B] Air (Stack)					
Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
NA	0	0	--	--	--

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0	0	Ltr/Hr

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	CMD

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Biodegradable Waste	0	0	Ton/Y
Non Biodegradable Waste	0	0	Ton/Y

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
STP Sludge	0	0	Ton/Y

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	CMD

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
0	0	CMD	NA

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Biodegradable waste	0	Ton/Y	--
Non Biodegradable Waste	0	Ton/Y	--
STP Sludge	0	Ton/Y	--

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
-------------	---	--	--------------------------------	--------------------------------------	-----------------------------	-----------------------------------

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.
[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
NA	NA	0

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Sewage Treatment Plant	To treat waste water	220.1
Organic Waste Composter	Collection segregation and management of Solid waste	32
Rain Water Harvesting & Storm water	Recharging existing ground water table	18.10
Green Belt Developement	Plantation of new trees and maintenance of existing trees	24.30

Part-I

Any other particulars for improving the quality of the environment.

Particulars

NA

Name & Designation

Mr. Sarvesh Vilas Javdekar, Technical Director

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000065982

Submitted On:

14-06-2024